

**PROCEEDINGS OF THE AUSTRALIAN RANGELAND SOCIETY**

**19<sup>th</sup> BIENNIAL CONFERENCE**

**Official publication of The Australian Rangeland Society**

**Copyright and Photocopying**

© The Australian Rangeland Society 2017. All rights reserved.

For non-personal use, no part of this item may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior permission of the Australian Rangeland Society and of the author (or the organisation they work or have worked for). Permission of the Australian Rangeland Society for photocopying of articles for non-personal use may be obtained from the Secretary who can be contacted at the email address, [secretary@austrangesoc.com.au](mailto:secretary@austrangesoc.com.au)

For personal use, temporary copies necessary to browse this site on screen may be made and a single copy of an article may be downloaded or printed for research or personal use, but no changes are to be made to any of the material. This copyright notice is not to be removed from the front of the article.

All efforts have been made by the Australian Rangeland Society to contact the authors. If you believe your copyright has been breached please notify us immediately and we will remove the offending material from our website.

**Form of Reference**

The reference for this article should be in this general form:

Author family name, initials (year). Title. In: Proceedings of the 19th Australian Rangeland Society Biennial Conference. Pages. (Australian Rangeland Society: Australia).

For example:

Bastin, G., Sparrow, A., Scarth, P., Gill, T., Barnetson, J. and Staben, G. (2015). Are we there yet? Tracking state and change in Australia's rangelands. In: 'Innovation in the Rangelands. Proceedings of the 18th Australian Rangeland Society Biennial Conference, Alice Springs'. (Ed. M.H. Friedel) 5 pages. (Australian Rangeland Society: Parkside, SA).

**Disclaimer**

The Australian Rangeland Society and Editors cannot be held responsible for errors or any consequences arising from the use of information obtained in this article or in the Proceedings of the Australian Rangeland Society Biennial Conferences. The views and opinions expressed do not necessarily reflect those of the Australian Rangeland Society and Editors, neither does the publication of advertisements constitute any endorsement by the Australian Rangeland Society and Editors of the products.



*The Australian Rangeland Society*

# Assessing the Economic Impacts of Carbon Farming in Western NSW

Cockfield, G<sup>1</sup>, Shrestha, UB<sup>1</sup>, Waters, C<sup>2</sup> and Garland, F<sup>3</sup>

<sup>1</sup> Institute for Agriculture and the Environment, University of Southern Queensland, Toowoomba, Qld, 4350

<sup>2</sup> NSW Department of Primary Industries, PMB 19 Trangie NSW

<sup>3</sup> Local Land Services Western Region, 21 Mitchell Street, Bourke NSW 2835

<sup>1</sup> Corresponding author. Email: [Geoff.Cockfield@usq.edu.au](mailto:Geoff.Cockfield@usq.edu.au)

**Key words:** carbon sequestration, payments for environmental services, grazing profitability

## Abstract

Emissions Reduction Fund (ERF) auctions have been used to secure agreements to sequester or retain carbon in vegetation on agricultural properties. There are at least 115 projects, covering 1.8 million ha in the Cobar Peneplain and Mulga Lands of NSW, with the main contracted methodologies being avoided deforestation (AD) and human induced regeneration (HIR). The Government has invested ~\$590m in these projects but benefits and costs, especially opportunity costs, to landholders, are uncertain or unknown. This paper is part of a study using bio-economic modelling to quantify the trade-offs between pastoral enterprises and carbon farming at both farm and regional scales. For this paper, the net present values (NPV) of a combined Dorper sheep and goat harvesting business over 25 years, with and without a sequestration project, were estimated. We then estimated the time (years) until the opportunity costs of having a sequestration project started to accumulate. The longer the time frame, the more favourable it is to have a project.

Results from this case study suggest that early payments based on a price of >\$10/tonne for carbon sequestration, carbon accumulation of >8 t/ha, would make a project an attractive proposition to include in a mixed grazing enterprise, even with a significant increase in meat prices or a modest increase in carrying capacity. We conclude with an outline of the limitations of this preliminary work and set out the steps to extend and deepen the study.

## Introduction


The national Emissions Reduction Fund (ERF) is designed to achieve cost-effective emission reductions across Australian economic sectors (Gowen and Bray 2016). More than \$590m has been allocated through several rounds of auctions to fund 115 projects covering 1.8 million ha across two bioregions of New South Wales: the Cobar Peneplain; and Mulga Lands. These regions have traditionally been used for extensive grazing, with land clearing and regrowth control to facilitate the growth of native pastures. ERF contracts generally require cessation of clearing and the promotion of woody biomass. Most contracts have a contract and payment period of 7-10 years and an obligation for project area protection of 25 or 100 years. For the study regions, the overwhelming majority of contracts opted for a 10 year payment and 100 year protection option, meaning that landholders have effectively placed a long-term covenant over project areas. This also means there could be a considerable reduction in carrying capacity for commercial livestock into the far future. Therefore, a comparison of profits between carbon projects and pastoral enterprise is crucial to understanding short and long-term consequences (Gowen and Bray 2016). This study is part of a larger research project using bioeconomic modelling to quantify the trade-offs between the traditional pastoral enterprises and carbon offsetting enterprise at both farm and regional scales. This study starts to explore these trade-offs through a comparison of net present values from meat production (Dorper sheep and goat harvesting) with and without a carbon project.

## Materials and Methods

The greater project will cover representative locations in the Cobar Peneplain and Mulga Lands, and this study is based on a composite case study property in the Bourke district (Fig. 1).

## Case study region

The Bourke area receives an average rainfall of 370 mm/year. There are 54 ERF projects in the broader district with an average area of 32,000 ha. For simplicity we modelled a 30,000 ha property and assumed a 10,000 ha project. Scale is not yet critical as fixed costs are assumed to be common with or without a carbon project and so only enterprise margins are considered at this stage.



**Fig. 1.** Study area showing the weather station and ERF projects.


## Pasture growth modelling

We estimated the average carrying capacity using GRASP, a point-based model of climate-soil-plant-animal-management in Australia (Rickert *et al.* 2000). GRASP simulates pasture growth and animal production from the inputs of daily climate (rainfall, temperature, humidity, pan evaporation, and solar radiation), soil (field capacities and wilting points), plant growth, cover and animal intake data (MacLeod *et al.* 2004). It has been widely used to estimate long-term carrying capacity based on pasture growth across many regions of Northern Australia, QLD, and NSW (Richards *et al.* 2001; McKoen *et al.* 2009; Wish *et al.* 2016). We used climate data from the SILO-enhanced database, the soil data from the APSoil database, and vegetation data from the NSW office of Environment and Heritage. The most recent 30-year period (1986-2016) was chosen to simulate the pasture growth in order to capture the impacts of climate variability in the region. We used default settings of GRASP parameters with some modifications (Table 1).

**Table 1:** GRASP Model Parameters

Parameters	Values
<b>Tree Cover</b>	
Woody basal Area (m <sup>2</sup> /ha)	1.22
<b>Pasture</b>	
Temperature	C3
Leaf/Stem	Average
Fertility	Very low
Detachment Summer	Rapid
Detachment Winter	Slow
<b>Soil</b>	
Run-off	Scanlan
Texture	Average
Depth	Average
Air Dry Soil layer 1	2
Air Dry Soil layer 2	0.09

The pasture production in the case study site was determined by the rainfall as shown in the Fig. 2. The average pasture production as simulated by GRASP is 850 kg/ha (SD = 251 kg/ha) with large temporal variations.



**Figure 2:** Average total standing dry matter and rainfall for study site (30 years)

### **Economic model**

Gross margins were calculated using carrying capacity from GRASP, estimates of goat and kangaroo density and sheep production data. Carbon parameters were derived from project summaries (Clean Energy Regulator 2016). We assumed 10% utilization of annual herbage growth for safe stocking rates (Hunt *et al.* 2014). The key parameters for a baseline scenario are in Table 2. We then varied some of these (see results) and compared net present values (NPVs).

**Table 2:** Summary of the parameters for the economic model


<b>Parameters</b>	<b>Units</b>	<b>Property (Carbon Project)</b>
Property area (carbon project area)		30,000 ha (10,000 ha)
Total property carrying capacity <sup>1</sup>	0.18 DSE/ha	5400 DSE
Sheep	1.6 DSE/ewe w lamb	2025 ewes/3240 DSE (1500 ewes) <sup>2</sup>
Kangaroos	0.2 DSE x 0.16/ha <sup>3</sup>	4800 head/960 DSE
Goats	0.4 DSE x 0.1/ha <sup>4</sup>	3000 head/1200 DSE
Sheep reproduction <sup>5</sup>	Marking 100%	Weaning 90%
Sheep mortality		2%
Net sheep revenue <sup>5</sup>	Net \$98/ewe	\$198,525 (\$146,916)/yr
Goat harvesting	0.3 of population/yr	1200 head/yr
Goat revenue <sup>6</sup>	Net \$4/kg x 30 kg	\$43,000/yr
Carbon project revenue	\$12.50/t <sup>6</sup> & \$120/ha	\$1.2m
Carbon payment schedule <sup>8</sup>	First 3 years	40%; 40%; 20% (of total)

<sup>1</sup>GRASP modelling (see Figure 2); <sup>2</sup>Assumes lower productivity areas allocated to project; <sup>3</sup>(Laughlin *et al.* 2006); <sup>4</sup>(Khairo *et al.* 2011) <sup>5</sup>(NSW Government 2016) and excludes predation; <sup>6</sup>Average of all projects in the two regions; <sup>7</sup>Median of projects in the Bourke region, excluding outlier prices for native forest regeneration projects. <sup>8</sup>Representative of preference for early payments amongst all regional projects.

## Results and Discussions

### Average costs, benefits and gross margins

The net present values with and without project are shown in the Fig. 3. Critical to this analysis is that most landholders have opted for early and large payments, which would be expected to skew the NPV outcomes heavily towards having a carbon project and this is evident in the summary of results (Table 3).



**Figure 3:** Cash flow with and without a project

**Table 3:** Times until the opportunity costs of projects start by scenarios

Scenario	Time until opportunity costs start (project yrs)	
	5%	7%
@ Discount rate	5%	7%
Base scenario	100+	100+
Meat prices +50%	~80	~90
Carrying capacity +20%	~50	100+
Carbon price/yield @ \$60/ha	~17	~21
C payments spread over 10 years	~60	100+

There are several key points from this preliminary work. Early payments strongly favour having a carbon sequestration project, if we consider conventional economic thinking about the value of future income, as accounted for in the discount rate. Furthermore, such schemes could still be advantageous to landholders even if payments were spread across the early years or the carbon price or stock yield estimates were lower. The most sensitive variables are price and agreed contract yield. The influence of variables such as commodity prices and carrying capacity are overwhelmed by those early and significant payments.

These are however, indicative and preliminary results. We need a wider range of case studies with more vegetation and land types. We need to examine: the influence of carbon stock estimates by vegetation type and age; the influence of tree basal area on outcomes; and the effects of taxation and income variability. This work also highlights the need for checking the assumptions against experience and expertise, particular in relation to: Dorper fertility and weaning rates in western areas; reviewing GRASP inputs; and the reasons for the wide range of prices for projects.

## References

- Clean Energy Regulator (2016). Emissions Reduction Fund: Project and contract register, Australian Government. Available at: <http://www.cleanenergyregulator.gov.au/ERF/project-and-contracts-registers> (accessed 4 July 2017)
- Gowen, R. and Bray, S.G. (2016). Bioeconomic modelling of woody regrowth carbon offset options in productive grazing systems. *The Rangeland Journal*, **38**(3), 307-317
- Hunt, L. P., Mclvor, J. G., Grice, A. C., & Bray, S. G. (2014). Principles and guidelines for managing cattle grazing in the grazing lands of northern Australia: stocking rates, pasture resting, prescribed fire, paddock size and water points—a review. *The Rangeland Journal*, **36**(2), 105-119.
- Khairo, S.A., Hacker, R.B., Atkinson, T.L., Turnbull, G.L. (2011). Economic Analysis of Feral Goats Control Within the NSW Rangeland, Report Prepared for Western Catchment Management Authority, Economic Research Report No.47, NSW Department of Trade and Investment, Regional Infrastructure and Services, Trangie
- Laughlin, G., Randall L. and Walcott, J. (2006). Explanatory notes for the map Interpretation of livestock density and net primary productivity available at: <http://www.environment.gov.au/node/22165> (accessed 3 July 2017)
- MacLeod, N.D., Ash, A.J., Mclvor, J.G. (2004). An economic assessment of the impact of grazing land condition on livestock performance in tropical woodlands. *The Rangeland Journal*, **26**(1), 49-71
- McKeon, G.M., Stone, G.S., Syktus, J.I., Carter, J.O., Flood, N.R., Ahrens, D.G., Bruget, D.N., Chilcott, C.R., Cobon, D.H., Cowley, R.A. and Crimp, S.J. (2009). Climate change impacts on northern Australian rangeland livestock carrying capacity: a review of issues. *The Rangeland Journal*, **31**(1), 1-29
- NSW Government (2016). Farm Enterprise Budget Series Department of Primary Industries (Dopper Ewes-Dorper Rams) Available at: <http://www.dpi.nsw.gov.au/agriculture/budgets/livestock> (accessed 3 July 2017)
- Richards, R., Watson, I., Bean, J., Maconochie, J., Clipperton, S., Beeston, G., Green, D. and Hacker, R. (2001). Australian grassland and rangeland assessment by spatial simulation (Aussie GRASS) Southern Pastures Sub-project. *QNR9 Final Report for the Climate Variability in Agriculture Program*. Queensland Department of Natural Resources and Mines, Brisbane
- Whish, G., Pahl, L. and Bray, S. (2016). Implications of retaining woody regrowth for carbon sequestration for an extensive grazing beef business: a bio-economic modelling case study. *The Rangeland Journal*, **38**(3), 319-330